

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3196	(380/265.ccls. 365/80-90.ccls. 377/64-81.ccls.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/08 13:59
L2	36	pipeline\$1 AND stage\$1 AND (380/265.ccls. 365/80-90.ccls. 377/64-81.ccls.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/08 13:59
L3	1	dedicat\$3 AND pipeline\$1 AND stage\$1 AND (380/265.ccls. 365/80-90.ccls. 377/64-81.ccls.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/08 14:00
L4	10	individual AND pipeline\$1 AND stage\$1 AND (380/265.ccls. 365/80-90.ccls. 377/64-81.ccls.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/08 14:01
L5	0	hash\$3 AND (outer inner multi\$1loop multi\$1round) AND individual AND pipeline\$1 AND stage\$1 AND (380/265.ccls. 365/80-90.ccls. 377/64-81.ccls.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/08 14:02
L6	1	hash\$3 AND (outer inner multi\$1loop multi\$1round) AND pipeline\$1 AND stage\$1 AND (380/265.ccls. 365/80-90.ccls. 377/64-81.ccls.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/08 14:03
L7	29	shift\$3 AND register AND pipeline\$1 AND stage\$1 AND (380/265.ccls. 365/80-90.ccls. 377/64-81.ccls.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/08 14:03
L8	1	dedicat\$3 AND shift\$3 AND register AND pipeline\$1 AND stage\$1 AND (380/265.ccls. 365/80-90.ccls. 377/64-81.ccls.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/08 14:03

EAST Search History

L9	9	individual AND shift\$3 AND register AND pipeline\$1 AND stage\$1 AND (380/265.ccls. 365/80-90.ccls. 377/64-81.ccls.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/08 14:03
L10	93	feghali.in.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/08 14:19
L11	21	feghali.in. AND pipeline\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/08 14:19
L12	12	feghali.in. AND pipeline\$1 AND stage\$1 and hash\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/08 14:19
L13	5	feghali.in. AND pipeline\$1 AND stage\$1 and hash\$3 AND loop	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/08 14:19
S1	109	380/265.ccls. AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/26 15:03
S2	58	(parallel OR congruent OR pipeline) AND 380/265.ccls. AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:02
S3	1	(SHA OR hash) AND (parallel OR congruent OR pipeline) AND 380/265.ccls. AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:03

EAST Search History

S5	1	(hash OR secure hash algorithm) AND (parallel OR congruent OR pipeline) AND 380/265.ccls. AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:04
S6	27	algorithm AND (parallel OR congruent OR pipeline) AND 380/265.ccls. AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:04
S7	8	chaining variable AND stage AND control logic AND scheduled AND (computer OR processor OR CPU) AND (parallel OR congruent OR pipeline) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:11
S8	821	(hash OR secure\$hash\$algorithm) AND (computer OR processor OR CPU) AND (parallel OR congruent OR pipeline) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:12
S9	41	inner loop AND (hash OR secure\$hash\$algorithm) AND (computer OR processor OR CPU) AND (parallel OR congruent OR pipeline) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:14
S10	41	inner loop AND (hash OR secure\$hash\$algorithm) AND (parallel OR congruent OR pipeline) AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:27
S11	58	parallel computing AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:27
S12	0	encrypted parallel computing AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:27

EAST Search History

S13	0	hash parallel computing AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:27
S14	18	hash AND parallel computing AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:36
S15	122	(secure hash algorithm OR hash) AND parallel computing AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:36
S16	269	(secure hash algorithm OR hash) AND (parallel OR pipeline\$1 OR congruent) comput\$3 AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:37
S17	2971	(SHA\$3 OR secure hash algorithm OR hash) AND (parallel OR pipeline\$1 OR congruent) comput\$3 AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:37
S18	270	(SHA-\$3 OR secure hash algorithm OR hash) AND (parallel OR pipeline\$1 OR congruent) comput\$3 AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:38
S19	7	inner loop AND (SHA-\$3 OR secure hash algorithm OR hash) AND (parallel OR pipeline\$1 OR congruent) comput\$3 AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:39
S20	203	network AND (SHA-\$3 OR secure hash algorithm OR hash) AND (parallel OR pipeline\$1 OR congruent) comput\$3 AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:40
S21	90	stage AND network AND (SHA-\$3 OR secure hash algorithm OR hash) AND (parallel OR pipeline\$1 OR congruent) comput\$3 AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:40
S22	171	(procedure OR stage) AND network AND (SHA-\$3 OR secure hash algorithm OR hash) AND (parallel OR pipeline\$1 OR congruent) comput\$3 AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:41

EAST Search History

S23	0	chain\$3 variable AND (procedure OR stage) AND network AND (SHA-\$3 OR secure hash algorithm OR hash) AND (parallel OR pipeline\$1 OR congruent) comput\$3 AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:41
S25	106	schedul\$4 AND (procedure OR stage) AND network AND (SHA-\$3 OR secure hash algorithm OR hash) AND (parallel OR pipeline\$1 OR congruent) comput\$3 AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 14:09
S26	19	schedul\$4 AND (procedure OR stage) AND network AND (SHA-\$3 OR secure hash algorithm OR hash algorithm) AND (parallel OR pipeline\$1 OR congruent) comput\$3 AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 14:11
S27	174	network AND (SHA-\$3 OR secure hash algorithm OR hash algorithm) AND (distributed OR parallel OR pipeline\$1 OR congruent) comput\$3 AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 15:16
S28	2	"6654783".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 14:18
S29	106	network AND (SHA-\$3 OR secure hash algorithm OR hash algorithm) AND (distributed OR parallel OR pipeline\$1 OR congruent) comput\$3 AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 15:17
S30	0	distributed computing concurrency AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 15:45
S31	27	distributed computing AND concurrency AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 15:46

EAST Search History

S32	4	distributed computing AND concurrency AND SHA AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 15:46
S33	3	(hash) AND (parallel OR congruent OR pipeline) AND 380/265.ccls. AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/26 09:41
S34	1	inner loop AND stage AND pipeline AND 380/265.ccls. AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/26 11:38
S35	23	inner loop AND stage AND pipeline AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/26 11:38
S36	23	parallel AND inner loop AND stage AND pipeline AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/26 11:38
S37	3	"SHA" AND parallel AND inner loop AND stage AND pipeline AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/26 11:39
S38	5	hash AND parallel AND inner loop AND stage AND pipeline AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/26 13:44
S39	13	adder AND hash AND operating frequency AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/26 13:53

EAST Search History

S40	49	decode AND inner loop AND hash AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/26 13:54
S41	48	processor AND decode AND inner loop AND hash AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/26 13:54
S42	48	network AND processor AND decode AND inner loop AND hash AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/26 13:56
S43	48	stage AND processor AND decode AND inner loop AND hash AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/26 15:02
S44	2	(ghz OR gigahertz OR giga) AND 380/265. ccls. AND (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/26 15:05